




日本陆上自卫队73式轻型卡车-警用型

JGSDF type 73 Light Truck Military Police

READ BEFORE ASSEMBLY:

- Study and understand these instructions thoroughly before beginning assembly
- When needed, remove photo-etch parts carefully using a modeling knife or photo etch sprue cutter, being careful not to damage or lose small parts.
- Take extra care in handling photo etch parts in order to avoid injury
- Apply instant cement sparingly to photo etch parts where instructed
- Tools recommended(not included in kit):Plastic and instant cements, sprue cutters,long nose pliers,modeling knife, small files, tweezers, pin vise & scissors. Soft cloth and sandpaper will also assist in construction
- Glue and paint are not included in the kit. Use plastic cement and hobby paints only. Color guide for purchasing paint is included in the kit.

装配之前仔细阅读

- 小心用模型锉刀锉平所有零件表面的注射浇口。
- 小心用刀片切下蚀刻片零件，不要遗失小零件。
- 用强力快干胶水粘合蚀刻片零件和金属轴。过量快干胶水使用可能导致可动零件会粘住，小心涂胶。
- 取蚀刻片时应特别注意安全，防止利边划伤手指。
- 某些零件表面需贴上水贴纸，请选择在装配的同时进行。
- 推荐模型工具(自备)：胶水，水口剪刀，长咀钳，刀片，锉刀，镊子，钳，钻，剪刀，瞬间快干胶。
- 软布同砂纸同时也应该是必备工具。
- 请使用塑料胶水和油漆，模型内不含。

配重
Weight使用强力胶
Cyanoacrylate glue钻孔
Make hole切除
Cut / Remove贴纸
Decal锉平
File / Sand选择
Option不涂胶水
No cement弯曲
Bend

水贴纸的使用:

- 1.从水贴纸上剪下印花;
- 2.将印花放入温水中浸10秒, 然后放在干净布上。
- 3.拿着印花纸板将印花移到模型上;
- 4.手指蘸水将印花移到适当的位置;
- 5.用软布轻压印花直至水干, 气泡消失


DECAL APPLICATION

- 1.Cut decals from sheet as needed
- 2.Dip the decal in warm water for about 10 seconds and then place on soft clean cloth.
- 3.Hold the decal backing sheet edge and gently slide the decal onto the model in its proper position.


- 4.While still wet,decal can be adjusted for better fit on model by dampening it gently with your finger.
- 5.When placed in the proper position,gently press decal down with a soft cloth until excess water and air bubbles are gone.
- 6.Allow decal to dry completely before handling model

部品图 Parts


A




B1, B2




C




F



D




G



《蚀刻片》
Photo etched Parts






《水贴》
Decal




不用部品: A11、C4、C5、C9、C10、C11、C17、
Unused parts C25、G17、PE27

《轮胎》x 5
Tyre







4




5




6




7






8




9







13



14




15



16


G14

D31



G20

D29



6

使用强力胶
Cyanoacrylate glue

PE9
对侧PE18
Opposite

17


6

PE1

使用强力胶
Cyanoacrylate glue

G9


A6




F14

B10


B11



A10



18



PE8
对侧PE7
Opposite

弯曲
Bend

使用强力胶
Cyanoacrylate glue

PE14

弯曲
Bend


使用强力胶
Cyanoacrylate glue

A17
对侧A18
Opposite

A4
对侧A5
Opposite

G16
B28

F4




涂装同标贴指示

Painting & Marking guide

A

PAINT REFERENCE COLOUR

Color	Mr Hobby	Vallejo	Model Master	Tamiya	Humbrol	Color	Mr Hobby	Vallejo	Model Master	Tamiya	Humbrol
Ten Black 黑灰色	H 77 137	—	—	—	—	Olive Drab (7) 橄榄绿	H 78 39	—	—	—	—
White 白色	H 1 1	842	1745	X2	22	Clear Red 透明红	H 90 47	934	—	X27	—
Silver 银色	H 8 8	997	1548	X11	11	Clear Yellow 透明黄	H 91 48	937	—	X24	—
Flat Black 消光黑	H 12 33	950	1749	XF1	33	Clear Orange 透明橙	H 92 49	935	—	X28	—
Olive Drab 1 橄榄绿	H 52 12	887	1711	XF62	155	Red 红色	H 3 3	958	1503	X7	19




H AQUEOUS HOBBY COLOR

Mr. COLOR

涂装同标贴指示 Painting & Marking guide

B

PAINT REFERENCE COLOUR											
Color	Mr.Hobby	Vallejo	Model Master	Tamiya	Humbrol	Color	Mr.Hobby	Vallejo	Model Master	Tamiya	Humbrol
Tie Black 暗黑色	H 77 137	—	—	—	—	Olive Drab(2) 橄榄色(2)	H 78 38	—	—	—	—
White 白色	H 1 1	842	1745	X2	22	Clear Red 透明红	H 50 47	934	—	X27	—
Silver 银色	H 8 8	997	1546	X11	11	Clear Yellow 透明黄	H 51 48	937	—	X24	—
Flat Black 消光黑	H 12 33	950	1749	XF1	33	Clear Orange 透明橙	H 52 49	935	—	X25	—
Olive Drab 1 橄榄色	H 52 12	887	1711	XF62	155	Red 红色	H 3 3	908	1503	X7	19



H AQUEOUS HOBBY COLOR ■ Mr. COLOR